

- [Email info@fire4u.com.au](mailto:info@fire4u.com.au)
- Call 0414 362 377 for an appointment



HAZELLES D1200 INSERT WOOD FIREPLACE

\$12,500.00

*Price is for the *Chazelles D1200* model only, and does not include optional extras. Please contact us for more information.



Dimensions	626 × 1174 × 482 mm
Brand	Chazelles
Style	Insert
Heating Capacity (m2)	350
Efficiency (%)	71
Emissions (g/kg)	N/A
Maximum Log Size	N/A
Heating Style	N/A

- [Email info@fire4u.com.au](mailto:info@fire4u.com.au)
- Call 0414 362 377 for an appointment



PRODUCT DESCRIPTION

The D1200 fireplace from Chazelles is an impressive modern design created with the latest manufacturing technology and will appeal to the modern home owner. The fireplace features simple, clean and uninterrupted lines of the design. This fireplace design is enhanced by the use of a clever removable handle, removable ash extractor that makes cleaning your fireplace a matter of ease. All these features further amplify the simplicity of the D1200 design. The D1200 features Chazelles unique **Dual Opening Door System** that allows you to enjoy the ambience of an open fire, or by sliding the door down, the firebox immediately reverts to a safe and efficient, slow combustion wood fire.

In addition, the D1200 [wood fireplace](#) has four connectors. This enable the fireplace to be connected to the [Hot Air Ducting System](#) so you can transfer warm air into every corner of every room in your home. Plus the D1200 wood fireplace has a large range of surround designs so you can integrate your [wood fireplace](#) into the design of your home's interior.

FEATURES & BENEFITS:

- 10 Years Warranty
- 100% French made
- Dual opening door mechanism, Lateral and Vertical
- Double skin structure
- Lined with 70mm thick firebricks – 420 kgs
- Ceramic glass 820°C heat resistant
- Estimated max heat output approx. 350m2 *
- Average smoke temperature 350°C
- Energy efficiency : 71.4%
- 5 star rating
- Flue size 250 mm or 9"
- Remove ash with ash extractor supplied
- Removable key and handle
- Choice of black , s/steel or gold trims
- EPA and Australian standards AS/NZS 4013 4012 tested
- Hot air ducting system, 3 rooms (up to 5 rooms)

*Varies depend upon ceiling height , installation and location of construction

*Fluctuates depending upon ceiling height, installation and place of construction. **Ratios according to European Standard Tests: EN 13229: 2001.

- Email info@fire4u.com.au
- Call 0414 362 377 for an appointment



OTHER PRODUCT IMAGES

